

## Satellite C855 Detailed Product Specification<sup>1</sup>

<b>Model Name: C855-S5356</b>	<b>Part Number: PSCBLU-00X003</b>	<b>UPC: 022265263303</b>
-------------------------------	-----------------------------------	--------------------------

### Operating System <sup>C1 2</sup>

- Windows 8

### Processor<sup>3</sup> and Graphics<sup>4</sup>

- Intel® Core™ i3-2328M Processor
  - (3MB Cache, up to 2.20GHz)
- Mobile Intel® HM76 Express Chipset
- Mobile Intel® HD graphics with shared graphics memory

### Memory<sup>5</sup>

- Configured with 4GB DDR3 1333MHz (max 16GB)
- 2 main memory slots. One slot is occupied

### Storage Drive<sup>6</sup>

- 640GB (5400 RPM) Serial ATA hard disk drive

### Fixed Optical Disk Drive<sup>7</sup>

- DVD SuperMulti drive supporting 11 formats
  - Maximum Read speed and compatibility: CD-ROM (24x), CD-R (24x), CD-RW (24x), DVD-ROM (8x), DVD-R (8x), DVD-R DL (6x), DVD-RW (6x), DVD+R (8x), DVD+R DL (6x), DVD+RW (8x), DVD-RAM (5x)

### Display<sup>8</sup>

- 15.6" diagonal widescreen TruBrite® TFT display at 1366 x 768 native resolution (HD)
  - Native support for 720p content
  - 16:9 aspect ratio
  - LED backlight

### Sound

- Built-in stereo speakers
- TOSHIBA Audio Enhancement

### Input Devices

- Standard Keyboard (black)
- Touch pad pointing device with multi-touch control

### Communications

- Webcam with microphone
- 10/100 Ethernet
- Wi-Fi® Wireless networking (802.11b/g/n)<sup>9</sup>

### Expandability

- Memory Card Reader
  - Secure Digital, SDHC, SDXC, miniSD, microSD, Multi Media Card (shared slot; may require adapter for use)

### Ports

- Video
  - RGB
  - HDMI®
- Audio
  - Microphone input port
  - Headphone output port
- Data
  - 2 USB v2.0 ports+1 USB V3.0 port
  - RJ-45 LAN port
- Security
  - Slot for Security Lock

### Physical Description

- Satin Black Trax
- Dimensions (W x D x H Front/H Rear): 14.96" x 9.53" x 1.14"/1.31" with feet
- Weight: Starting at 5.4 lbs, depending upon configuration<sup>10</sup>

### Power

- 65W (19V 3.42A) 100-240V/50-60Hz AC Adapter.

- Dimensions (W x H x D): 4.21" x 1.85" x 1.20"
- Weight: starting at 0.55 lbs.

### Battery

- 6 cell/48Wh Lithium Ion battery pack

### Software <sup>C1 11</sup>

- Toshiba Software and Utilities
  - TOSHIBA BookPlace™
  - TOSHIBA Audio Enhancement
  - TOSHIBA Disc Creator
  - TOSHIBA eco Utility™
  - TOSHIBA HDD Protection
  - TOSHIBA HW Setup Utility
  - TOSHIBA PC Health Monitor
  - TOSHIBA Media Player by sMedio Truelink+
  - TOSHIBA Maintenance Utility
  - TOSHIBA Recovery Media Creator
  - TOSHIBA Service Station
  - TOSHIBA Sleep Utility
  - TOSHIBA Supervisor Password Utility
  - TOSHIBA Resolution+ Upconvert Technology for Media Player<sup>12</sup>
  - TOSHIBA Video Player
- Third-party Software
  - Internet Explorer® 10
  - Microsoft Windows
    - Photo Gallery
    - Movie Maker
    - Skydrive desktop
  - Norton Laptop Checkup
  - Origin powered by EA Game Console
  - WildTangent® Games Console
- Special Offers and Trial Software
  - Microsoft® Office
  - Norton Internet Security™ 2013 (30-day trial subscription)
  - NortonOnline Backup (30-day Trial)
  - Norton Anti-Theft™ (60-day Trial)

## 1 YEAR STANDARD LIMITED WARRANTY<sup>13</sup>

### Environmental Specifications

- This product is RoHS<sup>14</sup> compatible
- ENERGY STAR® Qualified
- EPEAT® Gold Rated

	Operating	Non-operating
Temperature <sup>15</sup>	5° to 35° C	-20° to 60° C
Thermal Gradient	15° C per hour (max)	20° C per hour (max)
Relative Humidity (non-condensing)	20% to 90%	10% to 95%
Altitude (relative to sea level)	0 to 10,000 meters	0 to 40,000 meters
Shock	10G	60G
Vibration	0.5G	1.0G

### Service Upgrades and Extensions

Toshiba offers many different enhanced services such as SystemGuard®, On-Site Repair, and ServiceExpress to provide additional support to your notebook PC. For a full description and complete list of programs and program terms and conditions, please visit [www.support.toshiba.com](http://www.support.toshiba.com).

### Accessories

For additional and most updated accessories, please visit  
[www.accessories.toshiba.com](http://www.accessories.toshiba.com)

## Memory Upgrade

Part Number	Description
PA5037U-1M2G	Toshiba PC3-12800 DDR3-1600MHz Memory, 2GB
PA5037U-1M4G	Toshiba PC3-12800 DDR3-1600MHz Memory, 4GB
PA5037U-1M8G	Toshiba PC3-12800 DDR3-1600MHz Memory, 8GB

## Power

Part Number	Description
PA3714U-1ACA	Toshiba 65W Global AC Adapter (19V, 3.42A)
PA5035U-1BRS	Toshiba 90W Global AC Adaptor
PA5025U-1BRS	Toshiba Primary Li ION Battery Pack (6 Cell, 67Wh)

## Expansion

Part Number	Description
PA3778U-1PRP	dynadock V Universal USB Docking Station
PA3927U-1PRP	dynadock U3.0 Universal USB 3.0 Docking Station

## Carrying Case

## Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at <http://www.support.toshiba.com>

## Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS")  
 9740 Irvine Boulevard  
 Irvine CA 92618

ToshibaDirect website: <http://www.toshibadirect.com>  
 TAIS website for resellers: <http://sell.toshiba.com>  
 TAIS PC Support website: <http://support.toshiba.com>

Satellite and SystemGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

### <sup>C1</sup> **64-bit computing:**

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

<sup>1</sup> **Product Series Legal Footnote.** The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at [pcsupport.toshiba.com](http://pcsupport.toshiba.com).

**Product Offering Legal Footnote.** Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

### <sup>2</sup> **Operating System.**

Also see **64-Bit Computing** Legal Footnote, if applicable.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Part Number	Description
PA1463U-1SP6	Toshiba 16" Metropolitan Carrying Case (Fits up to 16")
PA1505U-1CS6	Toshiba 16" Extreme Briefcase (Fits up to 16")
PA1452U-1BS6	Toshiba 16" Extreme Backpack (Fits up to 16")

## Bluetooth

Part Number	Description
PA3710U-1BTM	Toshiba Bluetooth V 2.1+EDR USB Nano Adapter

## Storage

Part Number	Description
PA3879U-1M4S	Toshiba 4GB Micro Swivel USB Flash Drive
PA3879U-1M8S	Toshiba 8GB Micro Swivel USB Flash Drive
PA3879U-1MAS	Toshiba 16GB Micro Swivel USB Flash Drive
HDT607XK3A1	Toshiba Canvio USB 3.0 750GB Portable Hard Drive, Black
HDT610XK3B1	Toshiba Canvio USB 3.0 1TB Portable Hard Drive, Black
HDT615XK3B1	Toshiba Canvio USB 3.0 1.5TB Portable Hard Drive, Black

**Offers.** Offer terms, duration and product availability all subject to change without notice

<sup>3</sup> **Processor (Central Processing Unit).** Also see **64-Bit Computing** Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

1. use of certain external peripheral products
2. use of battery power instead of AC power
3. use of certain multimedia, computer generated graphics or video applications
4. use of standard telephone lines or low speed network connections
5. use of complex modeling software, such as high end computer aided design applications
6. use of several applications or functionalities simultaneously
7. use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
8. use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86°F) or >25°C (77°F) at high altitude (all temperature references are approximate and may vary depending on the specific computer model – please visit the Toshiba website at [www.pcsupport.toshiba.com](http://www.pcsupport.toshiba.com) for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under “Environmental Conditions” in your product “Detailed Specs.” Contact Toshiba Technical Service and Support for more information.

<sup>4</sup> **Graphics (Graphics Processing Unit).** GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

**Total Available Graphics Memory** is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

<sup>5</sup> **Memory (Main System).** Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

#### <sup>6</sup> **Storage Drive**

Computer (Internal) HDD Capacity. One Gigabyte (GB) means  $10^9 = 1,000,000,000$  bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of  $1\text{ GB} = 2^{30} = 1,073,741,824$  bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

<sup>7</sup> **Optical Drive.** Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities.

Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

<sup>8</sup> **Display.** Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen will dim and you may not be able to increase the brightness of the screen while on battery power.

<sup>9</sup> **Wireless** May require purchase of additional software, external hardware, or services. Transmission speeds may vary. Certain optional features within the wireless-n specifications (if available on your system) may not be supported.

<sup>10</sup> **Weight.** Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

<sup>11</sup> **Software.** Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft® software products (including Microsoft Office Small Business Accounting if applicable) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software products or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Internet access is required to enable certain functionality of certain Microsoft products (including Microsoft Office Small Business Accounting 2006) which may be included with this computer.

Includes Microsoft® Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.

<sup>12</sup> **Upconverter/Upconversion Technology (Resolution+® Technology).** Viewing enhancements may vary depending upon content quality and display device capability/functionality/settings. Depending on the quality of the content, some video noise may be visible.

<sup>13</sup> **Warranty.** The terms and conditions of Toshiba's standard limited warranty are available at [www.warranty.toshiba.com](http://www.warranty.toshiba.com).

<sup>14</sup> **RoHS.** This notebook is compatible with European Union Directive 2002/95/EC. Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

<sup>15</sup> **Temperature (Environmental) Conditions.** All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.