1 ... ••• . . . _

Satellite S875 Detailed Product Spec	ification ¹		
lodel Name: S875-S7240	Part Number: PS	KBGU-00T00L	UPC: 022265196847
 Operating System ^{C1 2} <u>Genuine</u> Windows[®] 7 Home Premium 64-bit, SP1 Processor³ and Graphics⁴ Intel[®] Core[™] i5-2450M Processor 2.5 GHz, (3.1 GHz with Turbo Boost Techr Cache Mobile Intel[®] HM76 Express Chipset Mobile Intel[®] HD graphics with shared graphics m 	nology 2.0), 3MB L3): 4.21" x 1.85" x 1.20" lbs.
 Memory⁵ Configured with 6GB DDR3 1333MHz (max 16GE 2 main memory slots. Both slots are occupied Storage Drive⁶ 750GB (5400 RPM) Serial ATA hard disk drive Fixed Optical Disk Drive⁷ DVD SuperMulti drive supporting 11 formats Maximum Read speed and compatibility: C (24x), CD-RW (24x), DVD-ROM (8x), DVD (6x), DVD-RW (6x), DVD+R (8x), DVD+R (8x), DVD+R (8x), DVD-RAM (5x) Display⁸ 	3) D-ROM (24x), CD-R D-R (8x), DVD-R DL DL (6x), DVD+RW	Software ^{C1 14} • Toshiba Software and U o TOSHIBA Assist o TOSHIBA App PI o TOSHIBA Book F	Itilities lace SM Place [™] oth Stack for Windows n Board reator fility [™] Recognition SSD Alert o Checkup Controller ¹⁵
 17.3" diagonal widescreen TruBrite[®] TFT display a resolution (HD+) Native support for 720p content 16:9 aspect ratio LED backlit 	at 1600 x 900 native	 TOSHIBA Recovery TOSHIBA ReelTi TOSHIBA Service TOSHIBA Resolu Player¹⁶ 	ery Disc Creator me e Station ution+ [®] Upconvert Technology for Media
Sound		 TOSHIBA Value A TOSHIBA Web C 	Added Package Camera Application
 Built-in stereo speakers SRS Premium Sound HD[®] Input Devices Premium Keyboard with 10-key (black) Touch pad pointing device with multi-touch contro Communications Webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Bluetooth[®] version 4.0 	ıl	 Third-party Software Adobe[®] Acrobat[®] Adobe[®] Flash[®] Pl SRS Premium Sc Google[®] Toolbar Google[®] Chrome Internet Explore[#] Microsoft[®] Live E Photo G Messeng Mail 	Reader layer bund HD [®] [®] 9 ssentials iallery
Expandability • Memory Card Reader • Secure Digital, SDHC,SDXC, mini SD, mic Card [shared slot] –adapter may be require Ports		 WildTangent[®] Ga 	Starter 2010 ¹⁷ ight [®] wws Media Player 12 ames Console
 Video RGB HDMI[®] Audio Microphone input port Headphone output port 		 QuickBooks[®] Onl Skype[®] 	t Service security™ 2012 (30-day trial subscription)
 Data 3 USB ports (2 USB 3.0¹⁰ + 1 USB 2.0 port Charge¹¹) RJ-45 LAN port Security Slot for Security Lock 	with USB Sleep and		LIMITED WARRANTY ¹⁸ cifications compatible
 Physical Description Ice Blue Brushed Aluminum Dimensions (W x D x H Front/H Rear): 16.3" x10.6 	6" x 1.3"		erating Non-operating

Weight: Starting at 6.3 lbs., depending upon configuration¹²

Temperature²⁰

Thermal Gradient

5° to 35° C

15° C per hour (max)

-20° to 60° C

20° C per hour (max)

TOSHIBA

This product specification	s variable and	subject to	change prior	o product launch.

Toshiba 65W Global AC Adapter (19V, 3.42A)

PA3714U-1ACA

PA1453U-1BG8

Relative Humidity (non-condensing)	20% to 90%	10% to 95%
Altitude (relative to sea level)	0 to 10,000 meters	0 to 40,000 meters
Shock	10G	60G
Vibration	0.5G	1.0G

Service Upgrades and Extensions

Toshiba offers many different enhanced services such as SystemGuard[®], On-Site Repair, and ServiceExpress to provide additional support to your notebook PC. For a full description and complete list of programs and program terms and conditions, please visit www.support.toshiba.com.

Accessories

For additional and most updated accessories, please visit www.accessories.toshiba.com

Memory Upgrade

Part Number	Description
PA5037U-1M2G	Toshiba PC3-12800 DDR3-1600MHz Memory, 2GB
PA5037U-1M4G	Toshiba PC3-12800 DDR3-1600MHz Memory, 4GB
PA5037U-1M8G	Toshiba PC3-12800 DDR3-1600MHz Memory, 8GB

Power

Part Number	Description
PA1464U-1SP8	Toshiba 18.4" Metropolitan Carrying Case (Fits up to 18.4")

PA3717U-1ACA PA5025U-1BRS	Toshiba 120W Global AC Adapter (19V, 6.3A) Toshiba Primary Li ION Battery Pack (6 Cell, 67Wh)
Expansion Part Number PA3778U-1PRP PA3927U-1PRP	<u>Description</u> dynadock V Universal USB Docking Station dynadock U3.0 Universal USB 3.0 Docking Station
Bluetooth Part Number PA3710U-1BTM	Description Toshiba Bluetooth V 2.1+EDR USB Nano Adapter
Storage Part Number	Description
PA3877U-1M8B PA3877U-1MAB	Toshiba 8GB USB Hi-Speed Swivel-Retractable Flash Drive Toshiba 16GB USB Hi-Speed Swivel-Retractable Flash Drive
PA3877U-1MBB	Toshiba 32GB USB Hi-Speed Swivel-Retractable Flash Drive
Carrying Case	
Part Number HDTC605XK3A1	<u>Description</u> Toshiba Canvio USB 3.0 500GB Port Hard Drive, Black
HDTC607XK3A1 HDTC610XK3B1	Toshiba Canvio USB 3.0 750GB Port Hard Drive, Black Toshiba Canvio USB 3.0 1TB Port Hard Drive, Black

Toshiba 18.4" Gaming BackPack (Fits up to 18.4")

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.support.toshiba.com

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS") 9740 Irvine Boulevard Irvine CA 92618

ToshibaDirect website: <u>http://www.toshibadirect.com</u> TAIS website for resellers: <u>http://sell.toshiba.com</u> TAIS Support website: <u>http://support.toshiba.com</u>

Satellite and SystemGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

^{C1}64-bit computing:

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

¹ <u>Product Series Legal Footnote</u>. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

Product Offering Legal Footnote. Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

² Operating System.

Also see 64-Bit Computing Legal Footnote, if applicable.

Certain Microsoft[®] software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply)

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Offers. Offer terms, duration and product availability all subject to change without notice

³ Processor (Central Processing Unit). Also see 64-Bit Computing Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

- use of certain external peripheral products use of battery power instead of AC power
- 2
- use of certain multimedia, computer generated graphics or video applications 3.
- 4. use of standard telephone lines or low speed network connections
- 5. use of complex modeling software, such as high end computer aided design applications
- 6. use of several applications or functionalities simultaneously
- 7. use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
- 8 use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86° F) or >25°C (77°F) at high altitude (all temperature references are
- approximate and may vary depending on the specific computer model please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

⁴ Graphics (Graphics Processing Unit). GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

Total Available Graphics Memory is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

⁵ Memory (Main System). Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

⁶ Storage Drive

Computer (Internal) HDD Capacity. One Gigabyte (GB) means $10^9 = 1,000,000,000$ bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = $2^{30} = 1,073,741,824$ bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

⁷ Optical Drive. Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities.

Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

⁸ Display. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

⁹ <u>Wireless</u> May require purchase of additional software, external hardware, or services. Transmission speeds may vary. Certain optional features within the wireless-n specifications (if available on your system) may not be supported.

¹⁰ <u>USB 3.0.</u> 5Gbps is the maximum theoretical interface transfer rate per the specifications of the Universal Serial Bus 3.0. Actual transfer rate will vary depending on your system configuration and other factors.

¹¹ USB Sleep & Charge. The "USB Sleep & Charge function" may not work with certain external devices even if they are compliant with the USB specification. In those cases, turn the power of the computer ON to charge the device.

¹² Weight. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

¹³ Battery Life Rating. Measured by MobileMark[®] 2007. MobileMark is a trademark of the Business Applications Performance Corporation. Rating based on either MobileMark Productivity 2007 modeling a user performing common mobile office activities or Reader 2007 modeling a user reading documents. See "Detailed Specifications" for test used. Details of MobileMark 2007 testing are available at www.bapco.com. Rating is for comparison purposes only, and does not indicate the battery life that will be obtained by any individual user. Actual battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features

TOSHIBA

utilized, as well as the natural performance variations produced by the design of individual components. The battery life rating is only achieved on the select models and configurations tested by Toshiba under the specific test settings at the time of publication and is not an estimate of a system's battery life under any conditions other than the specific test settings. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries.

¹⁴ Software. Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft[®] software products (including Microsoft Office Small Business Accounting if applicable) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software products or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Internet access is required to enable certain functionality of certain Microsoft products (including Microsoft Office Small Business Accounting 2006) which may be included with this computer.

Includes Microsoft[®] Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.

¹⁵ Toshiba Media Controller. Copy protection technology, if any, associated with the content may prevent or limit sharing of content.

¹⁶ <u>Upconverter/UpconversionTechnology (Resolution+® Technology).</u> Viewing enhancements may vary depending upon content quality and display device capability/functionality/settings. Depending on the quality of the content, some video noise may be visible.

¹⁷ <u>Microsoft Office Starter 2010.</u> Office Starter consists of reduced-functionality versions of Word and Excel with advertising. PowerPoint, Outlook, OneNote, Access and Publisher are not included.

¹⁸ Warranty. The terms and conditions of Toshiba's standard limited warranty are available at www.warranty.toshiba.com.

¹⁹ **<u>RoHS.</u>** This notebook is compatible with European Union Directive 2002/95/EC, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (ROHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

²⁰ <u>Temperature (Environmental) Conditions</u>. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.